AUSTRALIAN OWNED & OPERATED

TRUSTED OVER 40 YEARS TRUSTED

HUNTER PACIFIC®

INTERNATIONAL

CEILING FANS

2026-2027

About Hunter Pacific

TRUSTED FOR OVER 40 YEARS FOR AUSTRALIAN CONDITIONS

Quality and innovation have been the philosophical cornerstones underpinning Hunter Pacific International's ceiling fans and related products for over 40 years.

Clever designs that are attractive and highly efficient make Hunter Pacific the most desirable brand of ceiling fan. Resort developers and home designers from all over the world love the contemporary designs and popular traditional styles, all created with the unique flair and sophistication of which Hunter Pacific is renowned.

Hunter Pacific has rigorous quality control processes in factories and at our distribution centres. Routine inspection and testing ensures specifications for product performance and safety are adhered to.

AUSTRALIAN FAMILY OWNED & OPERATED

Philanthropy

Hunter Pacific has been a long term supporter of overseas aid projects, funding the construction of community buildings and sponsoring health and welfare initiatives in developing countries. It is only through the hard work of countless volunteers and community workers in those countries that many otherwise helpless people are lifted from dire circumstances and given opportunities to progress.

Hunter Pacific is thankful for the opportunity to assist with these efforts and continues to support Baptist World Aid Australia in the fight to end poverty.

Smart Home Option

SMART MODULES WITH SAL PIXIE®

PLUG-IN module by Hunter Pacific International (requires licensed electrician)

Hunter Pacific International provides a plugin PIXIE module for a wide range of their indoor and outdoor DC powered, 6 / 9 speed ceiling fans.

Once installed homeowners have complete smart control of ceiling fan speed, direction and light (if included) from the PIXIE mobile App. Mobile App control from smart phones and tablets includes quick access widget control and voice control capability when enabled in the PIXIE PLUS App.

PIXIE Multifunction Rotary Control Part#: SMFR/BTAS**

Pixie Touch Panel Part#: STP54BTAS**

On Wall Control, Anywhere

Using the PIXIE Multifunction Rotary Control, home owners control ceiling fan speed and light functions from a single, familiar rotary dial interface. Homeowners can control their fans from multiple locations throughout their home.

** Note: This device is made and sold by Pixie and works exclusively with Pixie Smart Home Solution.

More Control Options

Users control their fan's functions individually, and as groups including scheduling functions to maximise comfort.

Mobile App control from smart phones and tablets includes quick access widget control and voice control capability when enabled in the PIXIE PLUS App.

Control Panel

6 / 9 Speed fan control with intuitive dial interface with animated fan graphic for simple user speed feedback. Select between cool white, warm white and daylight on light enabled models and simply select your light level intensity using the slider. Activate timers to maximise comfort whilst automatically minimising energy usage.

VIEW ON WEBSITE >>

Available in 4 colour options

- IP66 Certified - dustproof and waterproof, provides protection against high pressure (12.5mm) water jets.
- 9 speed remote
- Available with 18W CCT LED light (dimmable)
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Energy efficient and quiet DC motor
- Smart home options
- DC wall control option
- Suitable for pitched ceilings up to 8°
- 7 year warranty^

Aqua 3 IP66

132cm (52”)
178cm (70”)

WHITE
With Oak finished polymer blades

WHITE
With white polymer blades (with light model shown)

MATT BLACK
With matt black polymer blades

MATT BLACK WITH KOA
With Koa finished polymer blades (with light model shown)

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Aqua 3 IP66
132cm (52") / 178cm (70")

9 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | 11° BLADE PITCH | 7 YEAR WARRANTY^

GOOD DESIGN AWARD® GOLD WINNER

SCAN FOR MORE INFO

132cm (52")

AIP100 - Matt White with Matt White Blades
AIP101 - Matt White with Oak Blades
AIP102 - Matt Black with Black Blades
AIP103 - Matt Black with Koa Blades

132cm (52") with 18W CCT LED light

AIPL110 - Matt White with Matt White Blades
AIPL111 - Matt White with Oak Blades
AIPL112 - Matt Black with Black Blades
AIPL113 - Matt Black with Koa Blades

178cm (70")

AIP105 - Matt White with Matt White Blades
AIP106 - Matt White with Oak Blades
AIP107 - Matt Black with Black Blades
AIP108 - Matt Black with Koa Blades

178cm (70") with 18W CCT LED light

AIPL115 - Matt White with Matt White Blades
AIPL116 - Matt White with Oak Blades
AIPL117 - Matt Black with Black Blades
AIPL118 - Matt Black with Koa Blades

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (9 speed)

THD Down Rod 26mm diameter
(includes wire loom)
DC2460 - 91cm White Threaded Downrod
DC2461 - 91cm Black Threaded Downrod
DC2467 - 180cm White Threaded Downrod
DC2468 - 180cm Black Threaded Downrod

38° Ceiling Kit (for pitched ceilings)**
080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses**

**If using accessory 38° Ceiling Kit or T-Hook this fan is no longer IP66 rated.

DIMENSIONS



	132cm (52")	132cm (52") with Light	178cm (70")	178cm (70") with Light
A (mm)	1320	1320	1778	1778
B (mm)	294	330	307	343
C (mm)	290	290	303	303
D (mm)	175	175	175	175
E (mm)	88	88	88	88

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
132cm (52")	RPMS	82	93	145	160	165	177	185	191	195
	OUTPUT (WATTS)	2.0	4.0	7.3	11.5	13.5	14.8	16.0	18.1	19.5
	AIRFLOW (CMH*)	4358	5174	8644	10519	11395	12853	13007	13852	15643
178cm (70")	RPMS	79	96	122	129	135	142	147	153	158
	OUTPUT (WATTS)	7.6	13.2	25.0	29.9	34.3	39.3	44.2	48.4	52.7
	AIRFLOW (CMH*)	5509	6795	10954	12158	13685	15852	18956	21567	24895

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Available in 3 sizes in white only

- Quick Connect Blade System
- Hard wired 3 speed wall control DC Ceiling Fan (Switch wire required for fan and switch wire required for Light)
- Energy efficient and quiet DC motor
- Summer/Winter reversible via switch on top cup
- ABS polymer UV stabilised blades
- Non Remote Adaptable
- Suitable for pitched ceilings up to 16°
- 7 Year warranty^

Ayer DC

122cm (48")
132cm (52")
142cm (56")

WHITE
With white polymer blades

WHITE
With white polymer blades
(with light model shown)

^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Ayer DC 122cm (48") / 132cm (52") / 142cm (56")

3 SPEED WALL CONTROL | REVERSIBLE | 10° BLADE PITCH | QUICK-CONNECT BLADES | 7 YEAR WARRANTY

SCAN FOR MORE INFO

122cm (48")

A400 - Matt White with White Blades

122cm (48") with 18W CCT LED light

AL402 - Matt White with White Blades

132cm (52")

A404 - Matt White with White Blades

132cm (52") with 18W CCT LED light

AL406 - Matt White with White Blades

142cm (56")

A408 - Matt White with White Blades

142cm (56") with 18W CCT LED light

AL410 - Matt White with White Blades

Accessories (sold separately):

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
020 - 180cm White Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White

009 - T-Hook for ceiling roses

Replacement Parts
W06-018 - Wall Mech and knob only
W06-001 - Capacitor 1 & 3uF (Ayer & Thunder Only)

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

DIMENSIONS



	122cm (48")		132cm (52")		142cm (56")	
	No Light	With Light	No Light	With Light	No Light	With Light
A (mm)	1219	1219	1320	1320	1422	1422
B (mm)	289	360	289	360	289	360
C (mm)	258	258	258	258	258	258
D (mm)	170	170	170	170	170	170
E (mm)	69	69	69	69	69	69

AIRFLOW

SPEED		LOW	MED	HIGH
122cm (48")	RPMS	80	149	205
	OUTPUT (WATTS)	2.9	11.8	25.8
	AIRFLOW (CMH*)	4350	11501	13250
132cm (52")	RPMS	78	143	190
	OUTPUT (WATTS)	3.0	10.8	29.5
	AIRFLOW (CMH*)	4828	12001	13852
142cm (56")	RPMS	77	135	181
	OUTPUT (WATTS)	3.8	13.7	35.3
	AIRFLOW (CMH*)	4835	12958	14953

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Concept DC

122cm (48")
132cm (52")

Available in 2 colour options

- 6 speed remote with sleep mode
- Summer/Winter reversible via remote
- Polymer blades
- Available with 18W CCT LED light, variable white & variable dimming
- Smart home options
- DC wall control option
- Suitable for pitched ceilings up to 18°
- 7 year warranty^

WHITE
With white polymer blades

MATT BLACK
With matt black polymer blades (with light model shown)

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Concept DC 122cm (48") / 132cm (52")

6 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | 11° BLADE PITCH | SLEEP MODE | 7 YEAR WARRANTY^

SCAN FOR MORE INFO

122cm (48")

C345 - White with White Blades

122cm (48") with 18W CCT LED light

CL347 - White with White Blades

132cm (52")

C350 - White with White Blades
C351 - Matt Black with Matt Black Blades

132cm (52") with 18W CCT LED light

CL355 - White with White Blades
CL356 - Matt Black with Matt Black Blades

6 Speed Remote Control Included

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (6 speed)

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

Light Fitting:

18W variable dimming LED light via remote
Variable Colour Temperature: 3000K to 6000K
Output (lm): 1842 to 2123

DIMENSIONS



	122cm (48")	122cm (48") with Light	132cm (52")	52" with Light
A (mm)	1220	1220	1320	1320
B (mm)	330	350	330	350
C (mm)	300	300	300	300
D (mm)	173	173	173	173
E (mm)	64	64	64	64

AIRFLOW

SPEED		1	2	3	4	5	6
122cm (48")	RPMS	76	93	129	147	168	190
	OUTPUT (WATTS)	3.8	5.4	11.9	17.5	26.3	33.9
	AIRFLOW (CMH*)	3798	5169	6913	9058	10901	14001
132cm (52")	RPMS	76	93	129	147	168	190
	OUTPUT (WATTS)	3.9	5.6	12.6	18.5	27.1	34.8
	AIRFLOW (CMH*)	3990	5235	6986	9105	10924	14198

* CMH = Cubic Meters per Hour



VIEW ON WEBSITE >>

Evolve EC/DC

122cm (48")
132cm (52")
152cm (60")

Available in 4 colour options

- 9 speed remote
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Energy efficient and quiet DC motor
- Smart home options
- DC wall control option
- Optional accessory 18W CCT light kit (dimmable)
- 7 year warranty^

WHITE WITH OAK
With Oak finished polymer blades

WHITE
With white polymer blades

MATT BLACK
With matt black polymer blades (optional light kit installed)

MATT BLACK WITH KOA
With Koa finished polymer blades

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Evolve EC/DC 122cm (48") / 132cm (52") / 152cm (60")

9 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | 19.8° BLADE PITCH | 7 YEAR WARRANTY^

SCAN FOR MORE INFO

122cm (48")

E360 - White with White Blades
E361 - Matt Black with Matt Black Blades
E362 - Matt Black with Koa Blades
E370 - Matt White with Oak Blades

132cm (52")

E363 - White with White Blades
E364 - Matt Black with Matt Black Blades
E365 - Matt Black with Koa Blades
E371 - Matt White with Oak Blades

152cm (60")

E366 - White with White Blades
E367 - Matt Black with Matt Black Blades
E368 - Matt Black with Koa Blades
E372 - Matt White with Oak Blades

Optional Accessory Light Kit

EL095
Light Kit White

EL096
Light Kit Matt Black

Accessories (sold separately):

Light Kit
18W CCT LED light (dimmable)
Colour Temperatures (K): 3000, 4000, 6000
Output (lm): 1842 / 2370 / 2123
EL095 - Light Kit White
EL096 - Light Kit Matt Black

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (9 speed)

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

DIMENSIONS



	122cm (48")	132cm (52")	152cm (60")
A (mm)	1220	1320	1520
B (mm)	295	295	295
C (mm)	295	295	295
D (mm)	170	170	170
E (mm)	60	60	60

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
122cm (48")	RPMS	82	101	119	134	150	163	173	183	196
	OUTPUT (WATTS)	3.5	4.7	9.8	12.3	15.4	18.2	21.1	23.5	26.1
	AIRFLOW (CMH*)	3985	5096	8656	9778	10595	11212	12663	13058	13869
132cm (52")	RPMS	82	102	119	134	150	163	173	183	196
	OUTPUT (WATTS)	3.6	4.8	10.1	12.9	15.9	18.6	21.6	23.8	26.2
	AIRFLOW (CMH*)	4175	4683	8973	10000	10853	11675	12084	13151	14798
152cm (60")	RPMS	82	101	119	139	154	166	177	188	197
	OUTPUT (WATTS)	3.8	5.1	9.3	13.1	17.0	22.0	27.0	31.2	35.8
	AIRFLOW (CMH*)	4568	5682	6123	7987	9852	10259	12123	14255	16312

* CMH = Cubic Meters per Hour



Fan shown:
Black Motor with Oak Blades

DESIGNED YOUR WAY

VIEW ON WEBSITE >>

This revolutionary ceiling fan is available in separate part sets allowing customisation including size and colour options

- Quick Connect Blade System
- 9 speed remote with sleep mode
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Energy efficient and quiet DC motor
- Smart home options
- DC wall control option
- Optional accessory 18W CCT LED light, variable white & variable dimming
- Suitable for flat & pitched ceilings up to 16°
- 7 year warranty^

Icon DC

122cm (48")
137cm (54")
152cm (60")
178cm (70")

1 MOTOR COLOUR → 2 BLADE SIZE & COLOUR → 3 LIGHT KIT

1

I600
MOTOR ONLY - WHITE
Blades sold separately

I601
MOTOR ONLY - MATT BLACK
Blades sold separately

BLADES
(sold separately)
Set of 4

Blade sets available in:
(fan diameter)
122cm (48")
137cm (54")
152cm (60")
178cm (70")

2

SIZE	White	Matt Black	Oak	Koa
122cm (48")	IB610	IB611	IB612	IB613
137cm (54")	IB615	IB616	IB617	IB618
152cm (60")	IB620	IB621	IB622	IB623
178cm (70")	IB630	IB631	IB632	IB633

ACCESSORY LIGHT KIT
(sold separately)
Available in White or Black

3

IL605 - Light Kit White

IL606 - Light Kit Matt Black

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Icon DC 122cm (48") / 137cm (54") / 152cm (60") / 178cm (70")

9 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | QUICK-CONNECT BLADES | SLEEP MODE | 7 YEAR WARRANTY^

SCAN FOR MORE INFO

Product Range: Motor (Blades sold separately)

I600 - Motor Only - White
I601 - Motor Only - Matt Black

Blades 122cm (48") fan diameter (sold separately)

IB610 - Blade set (4) 122cm (48") - White
IB611 - Blade set (4) 122cm (48") - Matt Black
IB612 - Blade set (4) 122cm (48") - Oak
IB613 - Blade set (4) 122cm (48") - Koa

Blades 137cm (54") fan diameter (sold separately)

IB615 - Blade set (4) 137cm (54") - White
IB616 - Blade set (4) 137cm (54") - Matt Black
IB617 - Blade set (4) 137cm (54") - Oak
IB618 - Blade set (4) 137cm (54") - Koa

Blades 152cm (60") fan diameter (sold separately)

IB620 - Blade set (4) 152cm (60") - White
IB621 - Blade set (4) 152cm (60") - Matt Black
IB622 - Blade set (4) 152cm (60") - Oak
IB623 - Blade set (4) 152cm (60") - Koa

Blades 178cm (70") fan diameter (sold separately)

IB630 - Blade set (4) 178cm (70") - White
IB631 - Blade set (4) 178cm (70") - Matt Black
IB632 - Blade set (4) 178cm (70") - Oak
IB633 - Blade set (4) 178cm (70") - Koa

Accessories (sold separately):

Light Kit
18W CCT LED light (dimmable)
Colour Temperatures (K): 3000, 4000, 6000
Output (lm): 1842 / 2370 / 2123
IL605 - Light Kit White
IL606 - Light Kit Matt Black

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (9 speed)

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

DIMENSIONS



	122cm (48")	137cm (54")	152cm (60")	178cm (70")
A (mm)	1219	1372	1524	1780
B (mm)	330	330	330	330
C (mm)	299	298	298	298
D (mm)	170	170	170	170
E (mm)	68.5	68.5	68.5	68.5
Blade Pitch	18°	16.5°	15°	12°

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
122cm (48")	RPMS	87	108	170	194	206	218	223	232	242
	OUTPUT (WATTS)	2.9	4.4	12.2	18.4	21.9	25.6	27.6	31.4	34.9
	AIRFLOW (CMH*)	4012	4719	7865	8600	9600	10800	12065	13058	13995
137cm (54")	RPMS	87	108	150	172	183	191	198	205	212
	OUTPUT (WATTS)	3.3	5.6	11.0	18.3	21.9	25.7	27.7	31.2	34.7
	AIRFLOW (CMH*)	4201	5400	7850	9560	10456	10989	12568	13456	14852
152cm (60")	RPMS	87	107	137	157	165	174	178	185	191
	OUTPUT (WATTS)	4.1	6.4	12.8	18.3	22.0	25.8	27.8	31.4	34.8
	AIRFLOW (CMH*)	5502	7235	8503	9850	10455	11031	11985	14356	16521
178cm (70")	RPMS	83	103	118	135	142	150	153	158	161
	OUTPUT (WATTS)	5.4	9.4	12.1	18.4	22.0	25.7	27.5	31.1	34.5
	AIRFLOW (CMH*)	7709	9933	11250	12483	13389	13842	14352	15521	17028

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Available in 2 colour options in separate part sets.

- 9 speed remote with sleep mode
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Smart home options
- DC wall control option
- Optional accessory 18W CCT LED light, variable white & variable dimming
- Suitable for flat & pitched ceilings up to 18°
- 7 year warranty^

Magnum 2 DC 203cm (80")

1 MOTOR COLOUR → 2 BLADE SIZE & COLOUR → 3 LIGHT KIT

1

M810
MOTOR ONLY - WHITE
Blades sold separately
(shown with White Blades)

M811
MOTOR ONLY - MATT BLACK
Blades sold separately
(shown with Black Blades)

2

BLADES
(sold separately)
Set of 6

Blade sets available in:
(fan diameter)
203cm (80")

SIZE 203cm (80")	White MB814	Matt Black MB815

3

ACCESSORY LIGHT KIT
(sold separately)
Available in White or Black

ML820 - Light Kit White

ML821 - Light Kit Matt Black

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Magnum 2 DC 203cm (80")

9 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | 7.5° BLADE PITCH | SLEEP MODE | 7 YEAR WARRANTY^

SCAN FOR MORE INFO

Product Range: Motor (Blades sold separately)

M810 - Motor Only - White
M811 - Motor Only - Matt Black

Blades 203cm (80") fan diameter (sold separately)

MB814 - Blade set (6) 203cm (80") - White
MB815 - Blade set (6) 203cm (80") - Black

9 Speed Remote Control Included

Accessories (sold separately):

Light Kit
18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123
ML820 - Light Kit White
ML821 - Light Kit Matt Black

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (9 speed)

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

DIMENSIONS



	203cm (80")
A (mm)	2032
B (mm)	302
C (mm)	279
D (mm)	177
E (mm)	70

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
203cm (80")	RPMS	68	86	96	103	110	113	118	123	130
	OUTPUT (WATTS)	8.7	15.2	20.9	25.2	30.2	35.1	39.4	44.3	53.3
	AIRFLOW (CMH*)	11068	13277	14427	15706	16539	17448	17625	18264	22328

* CMH = Cubic Meters per Hour



VIEW ON WEBSITE >>

Next Creation V2

132cm (52")

Available in 2 colour options

- 9 speed remote
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Available with 18W CCT LED light (dimmable)
- Smart home options
- DC wall control option
- 7 year warranty^

WHITE

With white polymer blades

MATT BLACK

With matt black polymer blades (with light model shown)

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Next Creation V2 132cm (52")

9 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | 14.5° BLADE PITCH | 7 YEAR WARRANTY^

SCAN FOR MORE INFO

9 Speed Remote Control Included

132cm (52")

NC2151 - White with White Blades
NC2152 - Matt Black with Matt Black Blades

132cm (52") with 18W CCT LED light

NCL2155 - White with White Blades
NCL2156 - Matt Black with Matt Black Blades

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (9 speed)

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

DIMENSIONS



	132cm (52")	132cm (52") with Light
A (mm)	1320	1320
B (mm)	310	330
C (mm)	300	300
D (mm)	168	168
E (mm)	60	60

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
132cm (52")	RPMS	86	103	139	160	170	178	188	196	202
	OUTPUT (WATTS)	2.9	4.6	9.7	12.3	15.6	17.5	21.5	23.4	25.9
	AIRFLOW (CMH*)	4175	4683	8973	10000	10853	11675	12084	13151	14315

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Available in 3 sizes &
2 colour options

- Quick Connect Blade System
- 9 speed remote with sleep mode
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Available with 18W CCT LED light, variable white & variable dimming
- Smart home options
- DC wall control option
- Suitable for flat & pitched ceilings up to 16°
- 7 year warranty^

Nextgen DC

122cm (48”)
132cm (52”)
142cm (56”)

WHITE

With white polymer blades

9 Speed Remote
Control Included

MATT BLACK

With matt black polymer blades
(with light model shown)

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Nextgen DC 122cm (48") / 132cm (52") / 142cm (56")

9 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | 21° BLADE PITCH | QUICK-CONNECT BLADES | SLEEP MODE | 7 YEAR WARRANTY^

SCAN FOR MORE INFO

122cm (48")

NG4840 - Matt White with Matt White Blades
NG4841 - Matt Black with Matt Black Blades

122cm (48") with 18W CCT LED light

NGL4845 - Matt White with Matt White Blades
NGL4846 - Matt Black with Matt Black Blades

132cm (52")

NG5240 - Matt White with Matt White Blades
NG5241 - Matt Black with Matt Black Blades

132cm (52") with 18W CCT LED light

NGL5245 - Matt White with Matt White Blades
NGL5246 - Matt Black with Matt Black Blades

142cm (56")

NG5640 - Matt White with Matt White Blades
NG5641 - Matt Black with Matt Black Blades

142cm (56") with 18W CCT LED light

NGL5645 - Matt White with Matt White Blades
NGL5646 - Matt Black with Matt Black Blades

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (9 speed)

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

DIMENSIONS



	122cm (48")		132cm (52")		142cm (56")	
	No Light	With Light	No Light	With Light	No Light	With Light
A (mm)	1219	1219	1320	1320	1422	1422
B (mm)	279	312	275	312	275	312
C (mm)	279	297	275	293	275	293
D (mm)	170	170	170	170	170	170
E (mm)	68.5	68.5	68.5	68.5	68.5	68.5

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
122cm (48")	RPMS	87	106	148	170	180	192	196	205	212
	OUTPUT (WATTS)	3.8	5.4	12.7	18.0	22.5	25.6	27.8	31.3	34.8
	AIRFLOW (CMH*)	4287	5460	7341	8513	9568	11212	12663	13058	13562
132cm (52")	RPMS	86	106	147	174	184	190	196	210	220
	OUTPUT (WATTS)	3.8	6.1	12.6	18.5	22.0	26.0	28.0	32.0	35.0
	AIRFLOW (CMH*)	4706	5829	7863	8649	9985	11675	12084	13151	14269
142cm (56")	RPMS	84	106	115	132	140	145	152	157	161
	OUTPUT (WATTS)	5.5	9.5	120	18.0	22.4	26.0	28.0	32.0	34.5
	AIRFLOW (CMH*)	6132	7743	8567	9558	10235	11834	12853	13987	15025

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Pinnacle 3

132cm (52")

Available in 3 colour options

- Quick Connect Blade System
- Optional Timber Look blade sets
- 9 Speed remote
- Optional DC wall control[2]
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote or wall control (if installed)
- ABS polymer UV stabilised blades
- Smart home options
- Available with 18W CCT LED light (dimmable)
- 7 year warranty^

WHITE
With white polymer blades

MATT BLACK
With matt black polymer blades

BRUSHED ALUMINIUM
With silver polymer blades
(with light model shown)

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Pinnacle 3 132cm (52")

9 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | 12° BLADE PITCH | QUICK-CONNECT BLADES | SLEEP MODE | 7 YEAR WARRANTY

SCAN FOR MORE INFO

9 Speed Remote Control Included

132cm (52")

P3200 - Pinnacle 3 White with White Blades
P3201 - Pinnacle 3 Matt Black with Matt Black Blades
P3202 - Pinnacle 3 Brushed Aluminium with Silver Blades

132cm (52") with 18W CCT LED light

PL3205 - Pinnacle 3 White with White Blades
PL3206 - Pinnacle 3 Matt Black with Matt Black Blades
PL3207 - Pinnacle 3 Brushed Aluminium with Silver Blades

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures:
3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (9 speed)

THD Down Rod 26mm diameter
(includes wire loom)
DC2460 - 91cm White Threaded Downrod
DC2461 - 91cm Black Threaded Downrod
DC2462 - 91cm Brushed Aluminium Threaded Downrod
DC2467 - 180cm White Threaded Downrod
DC2468 - 180cm Black Threaded Downrod
DC2469 - 180cm Brushed Aluminium Threaded Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
082 - Ceiling Kit Painted Silver
083 - Ceiling Kit Black
009 - T-Hook for ceiling roses

Optional Accessory Blade sets only available in Bamboo or Koa finish.

Koa Finish
DCPB208

Bamboo Finish
DCPB209

DIMENSIONS



	132cm (52")	132cm (52") with Light
A (mm)	1320	1320
B (mm)	275	315
C (mm)	255	255
D (mm)	168	168
E (mm)	60	60

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
132cm (52")	RPMS	79	93	150	159	174	189	199	209	214
	OUTPUT (WATTS)	2.7	3.8	9.6	12.5	15.4	17.6	21.1	22.5	25.3
	AIRFLOW (CMH*)	4953	5943	9734	11001	11987	12254	13954	14038	15101

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Polar V2

122cm (48")
142cm (56")

Available in 2 colour options

- 9 speed remote
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Smart home options
- Available with 18W CCT LED light (dimmable)
- DC wall control option
- 7 year warranty^

WHITE
With white polymer blades

MATT BLACK
With matt black polymer blades
(with light model shown)

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Polar V2 122cm (48") / 142cm (56")

9 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | 13° BLADE PITCH | 7 YEAR WARRANTY^

SCAN FOR MORE INFO

122cm (48")

P3B2571 - White with White Blades

122cm (48") with 18W CCT LED light

P3BL2581 - White with White Blades

142cm (56")

P3B2575 - White with White Blades

142cm (56") with 18W CCT LED light

P3BL2585 - White with White Blades
P3BL2586 - Matt Black with Matt Black Blades

9 Speed Remote Control Included

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (9 speed)

Down Rod 26mm diameter (includes wire loom)
010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

DIMENSIONS



	122cm (48")	122cm (48") with Light	142cm (56")	142cm (56") with Light
A (mm)	1220	1220	1420	1420
B (mm)	310	335	310	335
C (mm)	300	300	300	300
D (mm)	168	168	168	168
E (mm)	60	60	60	60

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
122cm (48")	RPMS	78	92	165	177	197	208	221	224	228
	OUTPUT (WATTS)	3.0	3.5	9.5	12.2	15.1	18.3	21.1	23.1	25.5
	AIRFLOW (CMH*)	3893	5097	8656	9778	10596	11212	12663	13058	13860
142cm (56")	RPMS	86	103	139	160	170	178	188	196	202
	OUTPUT (WATTS)	3.0	4.6	9.7	12.3	15.6	17.5	21.5	23.4	25.9
	AIRFLOW (CMH*)	4526	5568	9146	10122	10834	11834	12853	13987	14928

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Available in 3 colour options in separate part sets.

- 9 speed remote
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- Aerodynamic wedge compression blades
- Smart home options
- DC wall control option
- 7 year warranty^

The Big Fan V2

220cm (86")
270cm (106")

1 → 2

MOTOR COLOUR BLADE SIZE & COLOUR

1

TBFM790
MOTOR ONLY - WHITE
Blades sold separately
(shown with White Blades)

TBFM791
MOTOR ONLY - MATT BLACK
Blades sold separately
(shown with Black Blades)

2

BLADES
(sold separately) Set of 6

Blade sets available in:
(fan diameter)
218cm (86")
270cm (106")

SIZE	White	Matt Black	Natural Oak
218cm (86")	TBFB1861	TBFB1862	TBFB1864
270cm (106")	TBFB2061	TBFB2062	TBFB2064

* Works with Pixie or Wifi Modules each sold separately.
^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

The Big Fan V2 220cm (86") / 270cm (106")

9 SPEED REMOTE | WORKS WITH PIXIE* | WiFi* | REVERSIBLE | 15° BLADE PITCH | 7 YEAR^ WARRANTY

SCAN FOR MORE INFO

Product Range: Motor (Blades sold separately)

TBFM790 - Motor Only - White
TBFM791 - Motor Only - Black

Blades 220cm (86") fan diameter (sold separately)

TBFB1861 - Blade set (6) & Remote Pack - White
TBFB1862 - Blade set (6) & Remote Pack - Black
TBFB1864 - Blade set (6) & Remote Pack - Natural Oak

Blades 270cm (106") fan diameter (sold separately)

TBFB2061 - Blade set (6) & Remote Pack - White
TBFB2062 - Blade set (6) & Remote Pack - Black
TBFB2064 - Blade set (6) & Remote Pack - Natural Oak

9 Speed Remote Control Included

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC000 - 240V DC Wall Control (9 speed) includes Inbuilt Isolating Switch.
DCWC2409 - 240V DC Wall Control (9 speed)

Down Rod 60mm diameter
(includes wire loom)
DC2470 - 91cm White Downrod
DC2471 - 91cm Black Downrod
DC2477 - 180cm White Downrod
DC2478 - 180cm Black Downrod

DIMENSIONS



	220cm (86")	270cm (106")
A (mm)	2220	2690
B (mm)	500	500
C (mm)	450	450
D (mm)	192	192
E (mm)	130	130

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
220cm (86")	RPMS	61	70	83	89	94	98	102	105	120
	OUTPUT (WATTS)	11.2	15.9	25.3	30.0	34.6	39.6	44.4	48.4	54.1
	AIRFLOW (CMH*)	11598	13987	16897	18095	20698	24557	28568	31587	35480
270cm (106")	RPMS	53	62	70	73	78	80	82	86	97
	OUTPUT (WATTS)	15.7	26.0	37.0	41.7	47.3	51.8	57.0	67.4	75.9
	AIRFLOW (CMH*)	13268	16527	20123	24358	28745	32456	36524	40359	43620

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

A versatile ceiling fan available in 3 sizes & 2 colour options

- Quick Connect Blade System
- Hard wired 3 speed wall control DC Ceiling Fan (Switch wire required for fan and switch wire required for Light)
- Energy efficient and quiet DC motor
- Summer/Winter reversible via switch on top cup
- ABS polymer UV stabilised blades
- Non Remote Adaptable
- Optional accessory 18W CCT LED light, changable white & variable dimming (Requires compatible dimmer)
- Suitable for pitched ceilings up to 16°
- 7 Year warranty^

Thunder DC

122cm (48")
132cm (52")
142cm (56")

WHITE
With white polymer blades

MATT BLACK
With matt black polymer blades (shown with accessory light kit)

^Please refer to website for full terms and conditions.
NOTE: Actual product colour may vary from the images shown.

Thunder DC 122cm (48") / 132cm (52") / 142cm (56")

3 SPEED WALL CONTROL | REVERSIBLE | 14° BLADE PITCH | QUICK-CONNECT BLADES | 7 YEAR WARRANTY

SCAN FOR MORE INFO

122cm (48")

T450 - Matt White with Matt White Blades
T451 - Matt Black with Black Blades

132cm (52")

T455 - Matt White with Matt White Blades
T456 - Matt Black with Black Blades

142cm (56")

T460 - Matt White with Matt White Blades
T461 - Matt Black with Black Blades

Optional Accessory Light Kit

TL465 - Light Kit
Matt White

TL466 - Light Kit
Matt Black

Accessories (sold separately):

Light Kit
18W CCT LED light (dimmable)
Colour Temperatures (K): 3000, 4000, 6000
Output (lm): 1842 / 2370 / 2123
TL465 - Light Kit - Matt White
TL466 - Light Kit - Matt Black

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

Replacement Parts
W06-001 - Capacitor 1 & 3uF (Ayer & Thunder Only)

DIMENSIONS



	122cm (48")	132cm (52")	142cm (56")
A (mm)	1219	1320	1422
B (mm)	291	288	288
C (mm)	291	288	288
D (mm)	170	170	170
E (mm)	69	69	69

AIRFLOW

SPEED		LOW	MED	HIGH
122cm (48")	RPMS	93	150	210
	OUTPUT (WATTS)	4.0	13.2	35.0
	AIRFLOW (CMH*)	5188	9931	14013
132cm (52")	RPMS	88	139	192
	OUTPUT (WATTS)	3.9	13.2	35.0
	AIRFLOW (CMH*)	6150	10684	14347
142cm (56")	RPMS	82	123	170
	OUTPUT (WATTS)	4.0	12.8	35.0
	AIRFLOW (CMH*)	6246	11722	15728

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Revolution 3

132cm (52")

Available in white

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Slimline Motor Technology (SMT)
- Dynamic Aerofoil Injection moulded blades
- Remote Adaptable
- Available with 24W CCT LED light (dimmable)
- Suitable for flat & pitched ceilings up to 28°
- 7 year warranty^

WHITE
With white blades

WHITE
With white blades
(with light model shown)

^Please refer to website for full terms and conditions.

Revolution 3 132cm (52")

3 SPEED WALL CONTROL | REMOTE ADAPTABLE | REVERSIBLE | 10° BLADE PITCH | 7 YEAR WARRANTY

SCAN FOR MORE INFO

132cm (52")

A3180- White with White Blades

132cm (52") with 24W CCT LED light

A3183 - White with White Blades

Light Fitting:

24W dimmable LED light (via accessory remote or compatible dimmer)
Colour Temperatures: 3000 K, 4000 K, 6000 K

Accessories (sold separately):

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
020 - 180cm White Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White

009 - T-Hook for ceiling roses

AC Remote Control Units
A2002 - Konetik (3 speed - non dimming AC remote)
A2003 - Logic (4 speed - dimming, timer function, AC remote)

Zellweger Ripple Tone Filter Unit
007 - 1050Hz Notch Filter Noise Suppressor
008 - 750Hz Notch Filter Noise Suppressor

Replacement Parts
A3192 - Revolution 3 White 24W LED Replacement

W06-015 Capacitor 2 & 3.5uF
W06-018 Wall Mech & Knob Only
W06-023 Start Run Cap 1.8uF
W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	132cm (52")	132cm (52") with Light
A (mm)	1320	1320
B (mm)	300	330
C (mm)	290	290
D (mm)	148	148
E (mm)	53.5	53.5

AIRFLOW

SPEED		LOW	MED	HIGH
132cm (52")	RPMS	95	135	203
	OUTPUT (WATTS)	11.9	25.0	55.9
	AIRFLOW (CMH*)	5163	7213	14308

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Available in 3 colour options

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Polymer tapered blades
- Remote Adaptable
- Available with 18W CCT LED light (dimmable)
- Available with 2x E27 lamp holders (bulbs not included) - white only
- Suitable for flat & pitched ceilings up to 28°
- 7 year warranty^

Concept AC

132cm (52")

WHITE
With white blades

MATT BLACK
With matt black blades
(with LED light model shown)

BRUSHED ALUMINIUM
With silver blades

WHITE with 2xE27 Light
Available in white only

^Please refer to website for full terms and conditions.

Concept AC 132cm (52")

3 SPEED WALL CONTROL | REMOTE ADAPTABLE | REVERSIBLE | 11° BLADE PITCH | 7 YEAR WARRANTY

SCAN FOR MORE INFO

132cm (52")

C500 - White with White Blades
C501 - Matt Black with Matt Black Blades
C502 - Brushed Aluminium with Silver Blades

132cm (52") with 2xE27 Light

CL503 - White with White Blades

132cm (52") with 18W CCT LED light

CL506 - White with White Blades
CL507 - Matt Black with Matt Black Blades
CL508 - Brushed Aluminium with Silver Blades

Light Fitting:

18W dimmable LED light (via accessory remote or compatible dimmer)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
013 - 91cm Black Downrod
018 - 91cm Brushed Aluminium Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod
028 - 180cm Brushed Aluminium Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White
082 - Ceiling Kit Painted Silver
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

AC Remote Control Units
A2002 - Konetik (3 speed - non dimming AC remote)
A2003 - Logic (4 speed - dimming, timer function, AC remote)

Zellweger Ripple Tone Filter Unit
007 - 1050Hz Notch Filter Noise Suppressor
008 - 750Hz Notch Filter Noise Suppressor

Replacement Parts
W06-015 Capacitor 2 & 3.5uF
W06-018 Wall Mech & Knob Only
W06-023 Start Run Cap 1.8uF
W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	132cm (52")	132cm (52") with LED Light	132cm (52") with 2xE27
A (mm)	1320	1320	1320
B (mm)	335	365	432
C (mm)	270	270	280
D (mm)	173	173	173
E (mm)	56	56	56

AIRFLOW

SPEED		LOW	MED	HIGH
132cm (52")	RPMS	84	121	192
	OUTPUT (WATTS)	12.5	26	62
	AIRFLOW (CMH*)	4986	6987	14096

* CMH = Cubic Meters per Hour



VIEW ON WEBSITE >>

Azure 26 Moulded

122cm (48")

Available in white

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Moulded plastic blades
- Remote Adaptable
- Available with 2x E27 lamp holders (bulbs not included)
- Indoor use only
- Suitable for flat & pitched ceilings up to 28°
- 7 year warranty^

WHITE
With white blades

WHITE
With white blades
(with light model shown)

^Please refer to website for full terms and conditions.

Azure 26 Moulded 122cm (48")

3 SPEED WALL CONTROL | REMOTE ADAPTABLE | REVERSIBLE | 10° BLADE PITCH | 7 YEAR WARRANTY

SCAN FOR MORE INFO

122cm (48")

AM2600 - White with White Blades

122cm (48") with 2x E27 lamp holders

AM2605 - White with White Blades + 2x E27

Accessories (sold separately):

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
020 - 180cm White Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White

009 - T-Hook for ceiling roses

AC Remote Control Units
A2002 - Konetik (3 speed - non dimming AC remote)
A2003 - Logic (4 speed - dimming, timer function, AC remote)

Zellweger Ripple Tone Filter Unit
007 - 1050Hz Notch Filter Noise Suppressor
008 - 750Hz Notch Filter Noise Suppressor

Replacement Parts
W04-504 Replacement Diffuser Only
W06-015 Capacitor 2 & 3.5uF
W06-018 Wall Mech & Knob Only
W06-020 Start Run Cap 1.5uF
W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	122cm (48")	122cm (48") with Light
A (mm)	1220	1220
B (mm)	340	400
C (mm)	290	290
D (mm)	131	131
E (mm)	56	56

AIRFLOW

SPEED		LOW	MED	HIGH
122cm (48")	RPMS	102	145	182
	OUTPUT (WATTS)	15.6	26.9	47.2
	AIRFLOW (CMH*)	6459	8637	11542

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Azure 26 Timber

122cm (48")

Available in white

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Plywood blades
- Remote Adaptable
- Available with 2x E27 lamp holders (bulbs not included)
- Indoor use only
- Suitable for flat & pitched ceilings up to 28°
- 7 year warranty^

WHITE
With white blades

WHITE
With white blades
(with light model shown)

^Please refer to website for full terms and conditions.

Azure 26 Timber 122cm (48")

3 SPEED WALL CONTROL | REMOTE ADAPTABLE | REVERSIBLE | 10° BLADE PITCH | 7 YEAR WARRANTY

SCAN FOR MORE INFO

122cm (48")

AT2610 - Matt White with Matt White Blades

122cm (48") with 2x E27 lamp holders

AT2615 - Matt White with Matt White Blades

Accessories (sold separately):

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
020 - 180cm White Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White

009 - T-Hook for ceiling roses

AC Remote Control Units
A2002 - Konetik (3 speed - non dimming AC remote)
A2003 - Logic (4 speed - dimming, timer function, AC remote)

Zellweger Ripple Tone Filter Unit
007 - 1050Hz Notch Filter Noise Suppressor
008 - 750Hz Notch Filter Noise Suppressor

Replacement Parts
W04-504 Replacement Diffuser Only
W06-015 Capacitor 2 & 3.5uF
W06-018 Wall Mech & Knob Only
W06-020 Start Run Cap 1.5uF
W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	122cm (48")	122cm (48") with Light
A (mm)	1220	1220
B (mm)	340	400
C (mm)	290	290
D (mm)	131	131
E (mm)	56	56

AIRFLOW

SPEED		LOW	MED	HIGH
122cm (48")	RPMS	102	145	182
	OUTPUT (WATTS)	15.6	26.9	47.2
	AIRFLOW (CMH*)	6459	8637	11542

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Available in 2 colour options

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Light Adaptable
- Remote Adaptable
- White: Indoor use only
- 316 Stainless Steel: Indoor, coastal and outdoor undercover^
- Suitable for pitched ceilings up to 32°
- 7 year warranty^

Typhoon 26

122cm (48")
132cm (52")
142cm (56")

WHITE
With white blades

Optional Accessory Light Kit
(lamps not included)
A3480 - Eclipse White
2 x E27 light

^Please refer to website for full terms and conditions.

Typhoon 26 122cm (48") / 132cm (52") / 142cm (56")

3 SPEED WALL CONTROL | REMOTE ADAPTABLE | LIGHT ADAPTABLE | REVERSIBLE | 19° BLADE PITCH | 7 YEAR^ WARRANTY

SCAN FOR MORE INFO

122cm (48")

T710 - White with White Blades

132cm (52")

T720 - White with White Blades

142cm (56")

T730 - White with White Blades

Accessories (sold separately):

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
020 - 180cm White Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White

009 - T-Hook for ceiling roses

AC Remote Control Units
A2002 - Konetik (3 speed - non dimming AC remote)
A2003 - Logic (4 speed - dimming, timer function, AC remote)

Zellweger Ripple Tone Filter Unit
007 - 1050Hz Notch Filter Noise Suppressor
008 - 750Hz Notch Filter Noise Suppressor

Light Kit (lamps not included)
A3480 - Eclipse White 2 x E27 light

Replacement Parts
W06-018 Wall Mech & Knob Only
W06-028 Start Run Capacitor 2.2uF

DIMENSIONS



	122cm (48")	132cm (52")	142cm (56")
A (mm)	1220	1320	1420
B (mm)	370	370	370
C (mm)	300	300	300
D (mm)	153	153	153
E (mm)	48	48	48

AIRFLOW

SPEED		LOW	MED	HIGH
122cm (48")	RPMS	102	189	258
	OUTPUT (WATTS)	14.0	29.9	64.1
	AIRFLOW (CMH*)	5627	8948	13824
132cm (52")	RPMS	98	154	208
	OUTPUT (WATTS)	14.0	30.0	64.0
	AIRFLOW (CMH*)	7239	11137	16345
142cm (56")	RPMS	94	164	220
	OUTPUT (WATTS)	18.0	34.0	72.8
	AIRFLOW (CMH*)	7941	12498	18512

* CMH = Cubic Meters per Hour

VIEW ON WEBSITE >>

Coolah 26

132cm (52")

Available in 2 colour options

- 3 Speed pull cord
- Summer/Winter reversible via switch on motor
- Plywood blades
- Remote adaptable
- 3 speed wall control adaptable
- Indoor use only
- Suitable for flat & pitched ceilings up to 32°
- 7 year warranty^

WHITE

With white blades
(Rattan Insert on one side)

ANTIQUE BRASS

With walnut blades
(Rattan Insert on one side)

^Please refer to website for full terms and conditions.

Coolah 26 132cm (52")

3 SPEED PULL CORD | REMOTE ADAPTABLE | REVERSIBLE | 11° BLADE PITCH | 7 YEAR WARRANTY

SCAN FOR MORE INFO

132cm (52")

C740 - White with White Blades
C745 - Antique Brass with Walnut Blades

Accessories (sold separately):

Down Rod 26mm diameter
(includes wire loom)
010 - 91cm White Downrod
016 - 91cm Antique Brass Downrod
020 - 180cm White Downrod

38° Ceiling Kit (for pitched ceilings)
080 - Ceiling Kit White

009 - T-Hook for ceiling roses

AC Remote Control Units
A2002 - Konetik (3 speed - non dimming AC remote)
A2003 - Logic (4 speed - dimming, timer function, AC remote)

Zellweger Ripple Tone Filter Unit
007 - 1050Hz Notch Filter Noise Suppressor
008 - 750Hz Notch Filter Noise Suppressor

Light Kit (lamps not included)
A3480 Eclipse White 2 x E27

Optional Wall Control
W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	132cm (52")
A (mm)	1320
B (mm)	360
C (mm)	310
D (mm)	173
E (mm)	53

AIRFLOW

SPEED		LOW	MED	HIGH
132cm (52")	RPMS	101	136	197
	OUTPUT (WATTS)	18.5	31.0	60.9
	AIRFLOW (CMH*)	5168	7189	11073

* CMH = Cubic Meters per Hour

FAN SELECTION & ADVICE

Find out about Summer/Winter modes, DC vs AC fans, choosing the right size fan for your home and more...

SCAN THE CODE OR VISIT OUR WEBSITE
www.hunterpacific.com.au

SCAN FOR MORE INFO

Accessories

DC Wall Control
DCWC000
includes inbuilt isolating switch.

DC Wall Control
DCWC2409

HPI DC Pixie Module or HPI DC Wi-Fi Module



T-Hook

Mains Power Noise Filters 750 Hz or 1050Hz

AC Remotes

KONETIK®
3 speed fan control, light on/off only.

LOGIC™
4 speed fan control, light on/off including dimming plus light and fan timers.

Extension Rods

Hunter Pacific offers a range of accessory extension down rods for its entire range of ceiling fans.

Universal 38° Degree Ceiling Kit

For angled ceilings up to 38°. Only suitable for 26mm diameter rods. Available in white, black and silver.

HUNTER PACIFIC® INTERNATIONAL

Head Office & Warehouse
Unit 12, 22-24 Beaumont Road
Mount Kuring-Gai NSW 2080

SALES:
Ph: 1300 369 828
Email: sales@hunterpacific.com.au

SERVICE:
Ph: 1300 360 280
Email: service@hunterpacific.com.au

www.hunterpacific.com.au

^ Hunter Pacific International Pty Ltd reserves the right to change specifications without notice. Colours shown may vary from actual product. Refer to website for full terms and conditions.